

NOMINAL PIPE SIZE IN. f (OD, CM)	SCHEDULE 1) NUMBERS		WALL THICKNESS CM	INSIDE DIAMETER CM	INSIDE AREA CM <sup>2</sup>	METAL AREA CM <sup>2</sup>	OUTSIDE SURFACE M <sup>2</sup> /M	INSIDE SURFACE M <sup>2</sup> /M	WEIGHT 2) KG/M	WEIGHT FILLED WITH WATER KG/M	MOMENT OF INERTIA CM <sup>4</sup>	SECTION MODULUS CM <sup>3</sup>	RADIUS OF GYRATION CM
	A	B											
1/8 (1.029)	-	-	10 S	0.780	0.477	0.353	0.032	0.025	0.277	0.325	0.037	0.072	0.323
	40	STD	40 S	0.683	0.366	0.464	0.032	0.021	0.365	0.402	0.044	0.086	0.309
	80	XS	80 S	0.546	0.235	0.597	0.032	0.017	0.469	0.492	0.051	0.098	0.291
1/4 (1.372)	-	-	10 S	1.041	0.851	0.626	0.043	0.033	0.491	0.576	0.116	0.169	0.430
	40	STD	40 S	0.925	0.671	0.806	0.043	0.029	0.632	0.699	0.138	0.202	0.414
	80	XS	80 S	0.767	0.462	1.015	0.043	0.024	0.796	0.842	0.157	0.229	0.393
3/8 (1.715)	-	-	10 S	1.384	1.505	0.804	0.054	0.043	0.629	0.779	0.244	0.285	0.551
	40	STD	40 S	1.252	1.232	1.077	0.054	0.039	0.845	0.968	0.304	0.354	0.531
	80	XS	80 S	1.074	0.906	1.402	0.054	0.034	1.100	1.191	0.359	0.419	0.506
1/2 (2.134)	-	-	10 S	1.712	2.303	1.256	0.067	0.054	0.998	1.228	0.596	0.599	0.884
	40	STD	40 S	1.580	1.961	1.614	0.067	0.050	1.266	1.462	0.712	0.667	0.664
	80	XS	80 S	1.387	1.509	2.064	0.067	0.044	1.619	1.770	0.837	0.783	0.636
3/4 (2.667)	160	-	-	1.184	1.100	2.470	0.067	0.037	1.940	2.050	0.921	0.864	0.610
	-	-	XXS	0.640	0.322	3.251	0.067	0.020	2.550	2.582	1.009	0.946	0.557
	-	-	5 S	2.337	4.289	1.297	0.084	0.073	1.018	1.447	1.020	0.765	0.886
1 (3.340)	-	-	10 S	2.245	3.960	1.626	0.084	0.071	1.275	1.671	1.236	0.928	0.871
	40	STD	40 S	2.093	3.438	2.148	0.084	0.066	1.683	2.025	1.540	1.157	0.848
	80	XS	80 S	1.885	2.786	2.806	0.084	0.059	2.193	2.472	1.865	1.398	0.815
1 1/2 (4.826)	160	-	-	1.560	1.910	3.677	0.084	0.049	2.882	3.073	2.194	1.645	0.772
	-	-	XXS	0.954	0.954	4.681	0.084	0.035	3.632	3.727	2.410	1.809	0.721
	-	-	5 S	3.010	7.114	1.647	0.105	0.094	1.292	2.003	2.081	1.245	1.125
1 (3.340)	-	-	10 S	2.786	6.095	2.664	0.105	0.088	2.089	2.698	3.151	1.886	1.087
	40	STD	40 S	2.664	5.873	3.166	0.105	0.084	2.498	3.055	3.638	2.178	1.069
	80	XS	80 S	2.431	4.638	4.122	0.105	0.077	3.232	3.695	4.395	2.632	1.034
1 1/2 (4.826)	160	-	-	2.070	3.367	5.392	0.105	0.065	4.232	4.568	5.211	3.118	0.983
	-	-	XXS	1.521	1.818	6.940	0.105	0.048	5.445	5.627	5.848	3.502	0.917
	-	-	5 S	4.496	15.873	2.419	0.151	0.141	1.896	3.484	6.576	2.725	1.648
1 1/2 (4.826)	-	-	10 S	4.272	14.332	3.954	0.151	0.134	3.102	4.533	10.277	4.259	1.610
	40	STD	40 S	4.089	13.132	5.154	0.151	0.128	4.044	5.356	12.903	5.342	1.582
	80	XS	80 S	3.810	11.397	6.889	0.151	0.120	5.403	6.541	16.275	6.751	1.537
1 1/2 (4.826)	160	-	-	3.399	9.069	9.217	0.151	0.107	7.230	8.135	20.104	8.325	1.476
	-	-	XXS	2.794	6.128	12.160	0.151	0.088	9.535	10.148	23.642	9.800	1.394
	-	-	10 S	1.016	1.016	1.016	0.151	0.088	9.535	10.148	23.642	9.800	1.394

DIMENSIONS AND PARTICULARS  
OF LINE PIPE  
(METRIC UNITS)

ID. NO.

1.No.

BN-DS-C2

NOMINAL PIPE SIZE IN. f (OD CM)	SCHEDULE 1) NUMBERS		WALL THICKNESS CM	INSIDE DIAMETER CM	INSIDE AREA CM <sup>2</sup>	METAL AREA CM <sup>2</sup>	OUTSIDE SURFACE M <sup>2</sup> /M	INSIDE SURFACE M <sup>2</sup> /M	WEIGHT 2) KG/M	WEIGHT FILLED WITH WATER KG/M	MOMENT OF INERTIA CM <sup>4</sup>	SECTION MODULUS CM <sup>3</sup>	RADIUS OF GYRATION CM
	A	B											
2 (6.033)	-	-	5S	5.70	25.54	3.044	0.190	0.179	2.387	4.94	13.11	4.346	2.075
	-	-	10S	5.48	23.54	5.005	0.190	0.172	3.925	6.28	20.77	6.883	2.037
	40	STD	40S	5.25	21.67	6.934	0.190	0.165	5.436	7.60	27.72	9.193	1.999
	80	XS	80S	4.93	19.05	9.527	0.190	0.155	7.473	9.38	36.13	11.979	1.946
	160	-	-	4.29	14.45	14.130	0.190	0.135	11.080	12.52	48.41	16.043	1.825
	-	-	-	3.82	11.44	17.130	0.190	0.120	13.440	14.58	54.61	18.091	1.786
3 (8.890)	-	-	5S	8.47	56.31	5.740	0.279	0.266	4.510	10.13	54.15	12.190	3.068
	-	-	10S	8.28	53.86	8.210	0.279	0.260	6.440	11.81	75.84	17.060	3.038
	40	STD	40S	7.79	47.67	14.370	0.279	0.245	11.280	16.04	125.70	28.250	2.957
	80	XS	80S	7.37	42.58	19.470	0.279	0.231	15.250	19.51	162.33	36.480	2.885
	160	-	-	6.67	34.96	27.150	0.279	0.209	21.310	24.80	209.36	47.130	2.779
	-	-	-	5.84	26.77	35.280	0.279	0.183	27.650	30.33	249.32	49.820	2.659
4 (11.430)	-	-	5S	11.01	95.14	7.430	0.359	0.346	5.830	15.35	117.00	20.470	3.967
	-	-	10S	10.82	91.91	10.640	0.359	0.340	8.350	17.53	164.83	28.870	3.934
	40	STD	40S	10.23	82.11	20.440	0.359	0.321	16.060	24.26	300.93	52.600	3.835
	80	XS	80S	9.72	74.18	28.440	0.359	0.305	22.290	29.70	400.00	69.970	3.752
	120	-	-	9.21	66.63	35.990	0.359	0.289	28.210	34.88	484.91	84.880	3.670
	160	-	-	8.73	59.86	42.580	0.359	0.274	33.490	39.47	552.34	96.680	3.597
6 (16.828)	-	-	5S	16.27	207.69	14.390	0.529	0.511	40.980	46.01	636.24	111.270	5.852
	-	-	10S	16.15	204.47	17.620	0.529	0.507	7.990	28.79	493.00	58.670	5.829
	40	STD	40S	15.41	186.34	35.990	0.529	0.484	13.820	34.27	599.00	71.280	5.702
	80	XS	80S	14.63	168.15	54.180	0.529	0.460	28.230	46.84	1171.00	139.290	5.575
	120	-	-	13.97	153.32	69.010	0.529	0.439	42.510	59.31	1686.00	200.410	5.469
	160	-	-	13.18	136.42	85.970	0.529	0.414	54.150	69.48	2065.00	245.480	5.344
-	-	-	12.44	121.45	100.870	0.529	0.391	67.410	81.04	2456.00	291.850	5.232	

DIMENSIONS AND PARTICULARS OF LINE PIPE (METRIC UNITS)

NOMINAL PIPE SIZE	SCHEDULE <sup>1)</sup> NUMBERS			WALL THICKNESS	INSIDE DIAMETER	INSIDE AREA	METAL AREA	OUTSIDE SURFACE	INSIDE SURFACE	WEIGHT <sup>2)</sup>	WEIGHT FILLED WITH WATER	MOMENT OF INERTIA	SECTION MODULUS	RADIUS OF GYRATION
	A	B	C											
8 (21.908)	-	-	5S	0.277	21.35	357.98	18.80	0.688	0.671	14.75	50.57	1101	100.45	7.645
	-	-	10S	0.376	21.16	351.53	25.41	0.688	0.664	19.94	55.04	1473	134.54	7.620
	20	-	-	0.635	20.64	334.11	42.44	0.688	0.648	33.27	66.72	2402	219.42	7.532
	30	-	-	0.704	20.50	330.24	46.82	0.688	0.644	36.75	69.75	2639	240.73	7.501
	40	STD	40S	0.818	20.27	322.50	54.18	0.688	0.637	42.48	74.75	3018	275.47	7.463
	60	-	-	1.031	19.85	308.96	67.59	0.688	0.623	53.03	83.97	3696	337.24	7.389
	80	XS	80S	1.270	19.37	294.77	82.30	0.688	0.608	64.56	94.02	4400	401.81	7.310
	100	-	-	1.506	18.90	280.58	96.49	0.688	0.594	75.69	103.72	5053	461.13	7.231
	120	-	-	1.824	18.26	261.87	115.06	0.688	0.574	90.22	116.41	5852	534.22	7.130
	140	-	-	2.062	17.78	248.33	128.54	0.688	0.559	100.83	125.66	6402	585.02	7.054
	-	XXS	-	2.223	17.46	239.30	137.38	0.688	0.549	107.76	131.70	6743	616.15	7.003
	160	-	-	2.301	17.31	235.43	141.70	0.688	0.544	111.14	134.65	6905	630.90	6.980
	-	-	5S	0.340	26.62	556.64	29.15	0.858	0.826	22.54	78.00	2651	194.00	9.525
	-	-	10S	0.419	26.47	550.19	35.41	0.858	0.831	27.83	83.00	3201	234.00	9.499
	20	-	-	0.635	26.04	532.13	53.27	0.858	0.818	41.72	95.00	4733	347.00	9.423
	-	-	-	0.709	25.89	526.32	59.21	0.858	0.813	46.43	99.00	5240	384.00	9.398
30	-	-	0.780	25.75	520.52	64.95	0.858	0.809	50.95	103.00	5723	419.00	9.373	
40	STD	40S	0.927	25.45	508.91	76.82	0.858	0.799	60.23	111.00	6693	490.00	9.322	
60	XS	80S	1.270	24.77	481.82	103.84	0.858	0.778	81.45	130.00	8824	646.00	9.220	
80	-	-	1.506	24.29	463.11	122.03	0.858	0.763	95.72	142.00	10193	747.00	9.144	
100	-	-	1.824	23.66	439.25	145.96	0.858	0.743	114.47	158.00	11913	872.00	9.042	
120	-	-	2.141	23.02	416.03	169.24	0.858	0.723	132.73	174.00	13486	988.00	8.941	
140	-	-	2.540	22.23	387.65	197.37	0.858	0.698	154.95	194.00	15317	1121.00	8.814	
160	-	-	2.858	21.59	365.72	219.30	0.858	0.678	172.09	207.00	16608	1218.00	8.712	

DIMENSIONS AND PARTICULARS  
OF LINE PIPE  
(METRIC UNITS)

DIMENSIONS AND PARTICULARS  
OF LINE PIPE  
(METRIC UNITS)

NOMINAL PIPE SIZE IN. f (OD CM)	SCHEDULE 1)			WALL THICKNESS CM	INSIDE DIAMETER CM	INSIDE AREA CM <sup>2</sup>	METAL AREA CM <sup>2</sup>	OUTSIDE SURFACE M <sup>2</sup> /M	INSIDE SURFACE M <sup>2</sup> /M	WEIGHT 2) KG / M	WEIGHT FILLED WITH WATER KG / M	MOMENT OF INERTIA CM <sup>4</sup>	SECTION MODULUS CM <sup>3</sup>	RADIUS OF GYRATION CM
	NUMBERS													
	A	B	C											
12 (32.385)	-	-	5 S	0.419	31.55	781.74	42.05	1.018	0.991	29.11	107	5378	332	11.300
	-	-	10 S	0.457	31.47	777.87	45.86	1.018	0.988	36.01	114	5848	361	11.270
	20	-	-	0.635	31.12	760.46	63.46	1.018	0.978	49.67	126	7987	493	11.220
	30	-	-	0.838	30.71	740.46	83.07	1.018	0.966	65.13	139	10343	639	11.151
	-	-	STD 40 S	0.953	30.48	729.50	94.04	1.018	0.957	73.75	147	11625	718	11.125
	40	-	-	1.031	30.32	721.76	101.52	1.018	0.954	79.65	152	12487	772	11.100
	-	-	XS 80 S	1.270	29.85	699.18	124.09	1.018	0.939	97.34	167	15068	929	10.998
	60	-	-	1.427	29.53	684.99	138.80	1.018	0.927	108.86	178	16691	1029	10.947
	80	-	-	1.745	28.90	655.32	167.95	1.018	0.908	131.70	197	19771	1221	10.846
	100	-	-	2.141	28.10	619.85	200.27	1.018	0.883	159.51	221	23392	1444	10.719
	120	-	-	2.540	27.31	585.66	238.00	1.018	0.858	186.73	245	26722	1650	10.592
	140	-	-	2.858	26.67	558.57	265.09	1.018	0.838	207.84	264	29178	1801	10.490
	160	-	-	3.332	25.72	519.23	303.79	1.018	0.808	238.48	291	32508	2009	10.338
	10	-	-	0.635	34.29	923.00	69.66	1.119	1.076	54.62	147	10631	598	12.344
	20	-	-	0.792	33.98	906.23	86.55	1.119	1.067	67.97	159	13070	736	12.294
	30	STD	-	0.953	33.66	889.46	103.52	1.119	1.058	81.20	170	15525	873	12.243
40	-	-	1.110	33.34	872.69	120.09	1.119	1.048	94.29	182	17856	1003	12.192	
-	-	XS	1.270	33.02	855.92	136.80	1.119	1.036	107.27	193	20146	1132	12.141	
-	-	-	1.427	32.71	839.79	153.05	1.119	1.027	120.02	204	22352	1257	12.090	
60	-	-	1.506	32.55	832.05	161.12	1.119	1.021	126.35	210	23392	1316	12.040	
-	-	-	1.588	32.39	823.66	169.37	1.119	1.018	132.85	215	24516	1378	12.014	
-	-	-	1.745	32.07	807.54	185.30	1.119	1.009	145.35	226	26555	1494	11.963	
80	-	-	1.905	31.75	791.42	201.24	1.119	0.997	157.92	237	28595	1609	11.913	
-	-	-	2.223	31.12	760.46	232.84	1.119	0.978	182.52	259	32508	1827	11.811	
100	-	-	2.380	30.80	744.98	248.32	1.119	0.966	194.53	269	34339	1930	11.760	
120	-	-	2.776	30.01	706.92	285.73	1.119	0.942	224.20	295	38709	2176	11.633	
140	-	-	3.175	29.21	670.16	323.14	1.119	0.917	253.29	320	42331	2406	11.506	
160	-	-	3.571	28.42	634.04	358.62	1.119	0.893	281.41	345	46909	2615	11.379	

NOMINAL PIPE SIZE IN. f (OD CM)	SCHEDULE (1) NUMBERS			WALL THICKNESS CM	INSIDE DIAMETER CM	INSIDE AREA CM <sup>2</sup>	METAL AREA CM <sup>2</sup>	OUTSIDE SURFACE M <sup>2</sup> /M	INSIDE SURFACE M <sup>2</sup> /M	WEIGHT (2) KG/M	WEIGHT FILLED WITH WATER KG/M	MOMENT OF INERTIA CM <sup>4</sup>	SECTION MODULUS CM <sup>3</sup>	RADIUS OF GYRATION CM
	A	B	C											
16 (40.640)	10	-	-	0.635	39.37	1217	79.78	1.277	1.237	62.57	184	15983	787	14.148
	20	-	-	0.792	39.06	1197	99.20	1.277	1.228	77.91	198	19688	970	14.097
	30	STD	-	0.953	38.74	1177	118.74	1.277	1.216	93.12	211	23392	1152	14.046
	-	-	-	1.110	38.42	1159	137.83	1.277	1.207	108.09	224	26972	1326	13.970
	40	XS	-	1.270	38.10	1139	157.05	1.277	1.198	123.16	237	30468	1499	13.919
	-	-	-	1.427	37.79	1121	175.82	1.277	1.186	137.88	250	33839	1749	13.868
	-	-	-	1.588	37.47	1102	194.79	1.277	1.176	152.71	263	37211	1839	13.818
	60	-	-	1.666	37.31	1092	203.82	1.277	1.173	159.96	269	38834	1911	13.792
	-	-	-	1.745	37.15	1083	212.85	1.277	1.167	167.19	275	40416	1989	13.767
	-	-	-	1.905	36.83	1064	231.55	1.277	1.158	181.76	288	43579	2145	13.716
	80	-	-	2.141	36.36	1037	258.64	1.277	1.143	203.05	307	48158	2370	13.640
	-	-	-	2.223	36.20	1028	268.32	1.277	1.137	210.33	313	49656	2525	13.614
	100	-	-	2.619	35.40	984	312.82	1.277	1.112	245.27	344	56815	2796	13.462
	120	-	-	3.094	34.45	932	365.07	1.277	1.082	286.13	397	64765	3187	13.310
	140	-	-	3.650	33.34	872	423.76	1.277	1.048	332.57	420	73256	3605	13.132
	160	-	-	4.046	32.55	832	465.04	1.277	1.021	364.72	448	78834	3879	13.005
10	-	-	0.635	44.45	1551	89.91	1.436	1.396	70.52	226	22851	1000	15.951	
20	-	-	0.792	44.14	1529	111.84	1.436	1.387	87.84	241	28220	1237	15.875	
-	STD	-	0.953	43.82	1507	133.90	1.436	1.378	105.04	256	33590	1468	15.824	
30	-	-	1.110	43.50	1486	155.51	1.436	1.365	122.11	271	38751	1694	15.773	
-	XS	-	1.270	43.18	1464	177.31	1.436	1.356	139.05	285	43829	1917	15.723	
40	-	-	1.427	42.87	1442	198.66	1.436	1.347	155.87	300	48782	2134	15.672	
-	-	-	1.588	42.55	1422	219.94	1.436	1.338	172.58	315	53652	2348	15.621	
-	-	-	1.745	42.23	1399	241.23	1.436	1.326	189.02	329	58397	2561	15.570	
60	-	-	1.905	41.91	1379	261.87	1.436	1.317	205.60	344	63059	2758	15.494	
-	-	-	2.223	41.28	1337	303.79	1.436	1.295	238.14	372	72049	3159	15.392	
80	-	-	2.380	40.96	1317	323.79	1.436	1.286	254.08	386	76337	3340	15.342	
100	-	-	2.936	39.85	1246	394.74	1.436	1.253	309.44	434	90738	3969	15.164	
120	-	-	3.493	38.74	1177	463.11	1.436	1.216	363.28	479	104016	4549	14.986	
140	-	-	3.967	37.79	1121	520.21	1.436	1.186	408.05	520	114463	5014	14.834	
160	-	-	4.524	36.67	1055	585.01	1.436	1.152	459.06	565	125701	5506	14.656	

DIMENSIONS AND PARTICULARS OF LINE PIPE (METRIC UNITS)

NOMINAL PIPE SIZE IN. f (OD CM)	SCHEDULE 1) NUMBERS			WALL THICKNESS CM	INSIDE DIAMETER CM	INSIDE AREA CM <sup>2</sup>	METAL AREA CM <sup>2</sup>	OUTSIDE SURFACE M <sup>2</sup> /M	INSIDE SURFACE M <sup>2</sup> /M	WEIGHT 2) KG / M	WEIGHT FILLED WITH WATER KG / M	MOMENT OF INERTIA CM <sup>4</sup>	SECTION MODULUS CM <sup>3</sup>	RADIUS OF GYRATION CM
	A	B	C											
20 (50.80)	10	-	-	0.635	49.53	1925	100.04	1.597	1.557	78.46	271	31509	1240	17.729
	-	-	-	0.792	49.22	1902	124.48	1.597	1.545	97.32	288	38918	1532	17.678
	20	STD	-	0.953	48.90	1876	149.12	1.597	1.536	116.96	304	46368	1826	17.628
	-	-	-	1.110	48.58	1853	173.24	1.597	1.527	135.87	321	53527	2107	17.577
	30	XS	-	1.270	48.26	1828	197.37	1.597	1.515	154.95	338	60645	2388	17.526
	-	-	-	1.427	47.95	1804	221.23	1.597	1.506	173.60	354	67596	2661	17.475
	40	-	-	1.506	47.79	1793	233.49	1.597	1.503	182.89	362	70926	2792	17.424
	-	-	-	1.588	47.63	1780	245.10	1.597	1.497	192.44	371	74380	2928	17.399
	-	-	-	1.745	47.31	1757	268.96	1.597	1.487	210.86	387	80998	3189	17.348
	-	-	-	1.905	46.99	1733	292.93	1.597	1.475	229.45	403	87616	3449	17.297
	60	-	-	2.062	46.68	1710	315.40	1.597	1.466	247.60	419	93943	3699	17.247
	-	-	-	2.223	46.36	1687	339.27	1.597	1.457	265.95	435	100270	3948	17.196
	80	-	-	2.619	45.56	1629	396.03	1.597	1.433	310.80	474	115379	4542	17.069
	100	-	-	3.254	44.29	1540	485.68	1.597	1.393	381.08	535	138188	5440	16.840
	120	-	-	3.810	43.18	1464	562.44	1.597	1.356	441.00	587	156502	6162	16.662
	140	-	-	4.445	41.91	1379	646.93	1.597	1.317	507.56	645	175649	6915	16.459
160	-	-	4.999	40.80	1307	719.17	1.597	1.283	563.97	695	191050	7522	16.281	
24 (60.96)	10	-	-	0.635	59.69	2799	120.29	1.914	1.874	94.35	374	54776	1796	21.336
	-	-	-	0.792	59.38	2773	149.64	1.914	1.865	117.45	394	67804	2225	21.285
	20	STD	-	0.953	59.06	2741	179.50	1.914	1.856	140.79	414	80873	2653	21.209
	-	-	-	1.110	58.74	2709	208.98	1.914	1.844	163.64	435	93485	3071	21.158
	-	-	-	1.270	58.42	2676	238.00	1.914	1.835	186.73	455	106139	3482	21.107
	30	-	-	1.427	58.11	2650	267.03	1.914	1.826	209.51	475	118209	3884	21.057
	-	-	-	1.588	57.79	2618	296.05	1.914	1.817	232.17	494	130696	4284	21.006
	40	-	-	1.745	57.47	2592	324.43	1.914	1.804	254.70	514	142351	4674	20.955
	-	-	-	1.905	57.15	2567	353.46	1.914	1.795	277.13	534	154421	5064	20.879
	60	-	-	2.459	56.04	2463	451.50	1.914	1.762	354.31	601	193547	6358	20.726
	80	-	-	3.094	54.77	2354	562.44	1.914	1.722	440.98	677	236002	7751	20.498
	100	-	-	3.889	53.18	2218	697.24	1.914	1.670	546.69	769	285118	9357	20.218
	120	-	-	4.602	51.76	2102	814.63	1.914	1.625	638.93	849	325908	10884	19.990
	140	-	-	5.237	50.49	1999	916.54	1.914	1.585	718.90	919	359206	11782	19.787
	160	-	-	5.951	49.06	1889	1028.13	1.914	1.542	806.41	995	393754	12913	19.558
	20	-	-	0.792	74.62	4373	187.69	2.393	2.344	147.21	584	133610	3507	26.670
30	-	-	1.270	73.66	4263	298.63	2.393	2.313	234.40	660	209780	5506	26.492	
40	-	-	1.588	73.03	4186	371.52	2.393	2.295	291.77	711	258895	6801	26.391	

NOTES :  
COLUMN A ANSI B 36. 10 STEEL PIPE SCHEDULE NUMBERS.  
COLUMN B ANSI B 36. 10 STEEL PIPE NOMINAL WALL DESIGNATIONS.  
COLUMN C ANSI B 36. 19 STAINLESS STEEL PIPE SCHEDULE NUMBERS.  
(5S IS NOT AN APPROVED STANDARD ).

THE FERRITIC STAINLESS STEELS MAY BE ABOUT 5% LESS AND THE AUSTENITIC STAINLESS STEELS ABOUT 2% GREATER THAN THE VALUE BASED ON WEIGHTS FOR CARBON STEELS.

SPECIFIED WEIGHTS ARE BASED ON WEIGHT FOR MILD STEEL PIPES.  
FOR FERRITIC STAINLESS STEEL PIPES THE VALUES ARE 5% LESS.  
FOR AUSTENITIC STAINLESS STEEL PIPES THE VALUES ARE 2% GREATER.

**DIMENSIONS AND PARTICULARS  
OF LINE PIPE  
(METRIC UNITS)**